Appl. No. 10/711,947 Amdt. dated April 24, 2007 Reply to Office action of February 22, 2007

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

5

10

- 1 (original): A method for determining existence of a disk in an optical disk drive, the method comprising:
 - focusing a laser beam of a first wavelength, and determining whether a disk is inserted into an optical disk drive according to generation of a first predetermined signal; and
- focusing a laser beam of a second wavelength, and determining whether a disk is inserted into an optical disk drive according to generation of a second predetermined signal.
- 15 2 (original): The method of claim 1 wherein the laser beam of the first wavelength and the laser beam of the second wavelength are emitted from an optical pick-up head.
- 3 (original): The method of claim 2 wherein the step of focusing comprises moving the pick-up head for changing a focal point, and the method further comprises receiving a focus error signal from an photo detector.
- 4 (original): The method of claim 1 wherein the first predetermined signal is an S-curve or an RF level signal.
 - 5 (original): The method of claim 1 wherein the second

Appl. No. 10/711,947 Amdt. dated April 24, 2007 Reply to Office action of February 22, 2007

5

25

predetermined signal is an S-curve or an RF level signal.

- 6 (currently amended): A method for determining existence of a disk in an optical disk drive, the method comprising: utilizing a laser beam of a first wavelength to execute focusing and detecting generation of a first predetermined signal; utilizing a laser beam of a second wavelength to execute focusing detecting generation of a second predetermined signal; and
- determining whether a disk is inserted into an optical disk drive according to generation of at least one of the first predetermined signal and the second predetermined signal.
- 7 (currently amended): The method of elaim 7 claim 6 wherein the laser beam of the first wavelength and the laser beam of the second wavelength are emitted from an optical pick-up head.
- 8 (original): The method of claim 7 wherein the action of focusing comprises moving the pick-up head for changing a focal point, and the method further comprises receiving a focus error signal from an photo detector.
 - 9 (currently amended): The method of claim 7 claim 6 wherein the first predetermined signal is an S-curve or an RF level signal.
 - 10 (currently amended): The method of elaim 7 claim 6 wherein the second predetermined signal is an S-curve or an RF level signal.

 [[.]]

Appl. No. 10/711,947 Amdt. dated April 24, 2007 Reply to Office action of February 22, 2007

- 11 (new): The method of claim 1 wherein the first wavelength and the second wavelength are not equal.
- 5 12 (new): The method of claim 6 wherein the first wavelength and the second wavelength are not equal.